TESTIMONY

Delivered by William Zeidler MD, FAAFP, HMDC Medical Director, Middlesex Hospital Hospice & Palliative Care A Member of the CT Association for Healthcare at Home

Before the Judiciary Committee

March 18, 2015

To OPPOSE Raised Bill No. 7015: An Act Concerning Aid in Dying for Terminally III Patients

Senator Coleman, Representative Tong and members of the Judiciary Committee. My name is Dr. Bill Zeidler, Medical Director of Middlesex Hospital Hospice and Palliative Care for the last 30 years, and a Founding Member of the American Academy of Hospice and Palliative Medicine.

For years I have struggled with the concept of Physician Assisted Suicide. On one hand, I want to help my patients in any way I can, to comfort them during their dying, and hopefully to help them live their lives to the fullest until they die. I do my best to meet them where they are at honoring and respecting their autonomy. I want to walk their journey with them, advocating for them, supporting their families and loved ones - to be there when they need me most.

On the other hand, I don't want to do them any harm - I surely don't want to make a difficult journey - perhaps the most difficult journey any of us will ever take - any worse, for the patient or those left behind.

With the above in mind, let's look at an unique group of our Hospice patients - those who are discharged alive, after spending months, and sometimes years, in our Hospice Program. We will have approximately 500 admissions to our Hospice this year - of those, 25-50 (5-10%) will be eventually discharged alive, and - obviously - doing better than expected. Why does this happen? Medicine is an inexact science and physicians are at times not the best prognosticators. Also the support offered through Hospice and Palliative Medicine often enables patients and their families to live not only better, but also longer.

How does all of the above affect Physician Assisted Suicide? Studies in Oregon and Washington have shown that 90% of patients who choose Physician Assisted Suicide are enrolled in Hospice Programs. When patients choose PAS, it is often early in the course of their Hospice stay - at which time it is difficult, if not impossible, to predict whether they will die soon, or eventually live longer than expected, and perhaps be discharged. Once PAS is chosen, and acted upon, we will never know.